INDEX TO AUTHORS

A

ADRAGNA, NORMA. See BEAUGÉ and ADRAGNA, 576

ANDREOLI, THOMAS E., SCHAFER, JAMES A., and TROUTMAN, SUSAN L. Coupling of solute and solvent flows in porous lipid bilayer membranes, 479

— and TOSTESON, DANIEL C. The effect of valinomycin on the electrical properties of solutions of red cell lipids in *n*-decane, 526

— and TROUTMAN, SUSAN L. An analysis of unstirred layers in series with "tight" and "porous" lipid bilayer membranes, 464

B

BEAUGÉ, L. A., and ADRAGNA, NORMA. The kinetics of ouabain inhibition and the partition of rubidium influx in human red blood cells, 576

BERMAN, M. See REUBEN, BRANDT, BERMAN, and GRUNDFEST, 385

BRANDT, P. W. See REUBEN, BRANDT, BERMAN, and GRUNDFEST, 385

BROWN, H. MACK. See KOIKE, BROWN, and HAGIWARA, 723

C

CHA, YOUNG N., SHIN, BAK C., and LEE, KWANG S. Active uptake of Ca^{++} and Ca^{++}-activated Mg^{++} ATPase in red cell membrane fragments, 202

CONNOLLY, R., GOUGH, W., and WINEGRAD, S. Characteristics of the isometric twitch of skeletal muscle immediately after a tetanus. A study of the influence of the distribution of calcium within the sarcoplasmic reticulum on the twitch, 697

COOKE, I. M. See SOKOLOVE and COOKE, 125

CRANDALL, E. D., KLOCKE, R. A., and FORSTER, R. E. Hydroxyl ion movements across the human erythrocyte membrane. Measurement of rapid pH changes in red cell suspensions, 664

CURRAN, PETER F., and SOLOMON, A. K. Analysis of tracer behavior. Appendix to Wiederholt, Sullivan, and Giebisch, 495

D

DIPOLO, REINALDO. See VILLEGAS, VILLEGAS, DIPOLO, and VILLEGAS, 623

E

EDELMAN, ISIDORE S. See ISMAIL-BEIGI and EDELMAN, 710

F

FINN, ARTHUR L. The kinetics of sodium transport in the toad bladder. II. Dual effects of vasopressin, 349

— and ROCKOFF, MAXINE L. The kinetics of sodium transport in the toad bladder. I. Determination of the transport pool, 326

FORSTER, R. E. See CRANDALL, KLOCKE, and FORSTER, 664

G

GAMOW, R. IGOR. See JOHNSON and GAMOW, 41

GARY-BOBO, C. M., and SOLOMON, A. K. Effect of geometrical and chemical constraints on water flux across artificial membranes, 610

— and —. Hemoglobin charge dependence on hemoglobin concentration in vitro, 283

GIEBISCH, GERHARD, and WEIDMANN, SILVIO. Membrane currents in mammalian ventricular heart muscle fibers using a voltage-clamp technique, 290

—. See WIEDERHOLT, SULLIVAN, and GIEBISCH, 495

GOUGH, W. See CONNOLLY, GOUGH, and WINEGRAD, 697

GRANDA, A. M., and YAZULLA, S. The spectral sensitivity of single units in the nucleus rotundus of pigeon, *Columba livia*, 363

GRUNDFEST, HARRY. See REUBEN, BRANDT, BERMAN, and GRUNDFEST, 385

—. See RUIZ-MANRESA and GRUNDFEST, 71

GUNN, ROBERT B., and TOSTESON, DANIEL C. The effect of 2, 4, 6-trinitro-*m*-cresol on cation and anion transport in sheep red blood cells, 593

H

HAGIWARA, S., TOYAMA, K., and HAYASHI, H. Mechanisms of anion and cation permeations in the resting membrane of a barnacle muscle fiber, 408

—. See KOIKE, BROWN, and HAGIWARA, 723

HAJJAR, J. J. See SHA'AFI and HAJJAR, 684

HAYASHI, H. See HAGIWARA, TOYAMA, and HAYASHI, 408

I

ISMAIL-BEIGI, FARAMARZ, and EDELMAN, ISIDORE S. The mechanism of the calorigenic action of thyroid hormone. Stimulation of $Na^+ + K^+$-activated adenosinetriphosphatase activity, 710

ITO, Y., and KURIYAMA, H. Caffeine and excitation-contraction coupling in the guinea pig taenia coli, 448

IWASAKI, SHIZUKO, and SATOW, YOUKO. Sodium- and calcium-dependent spike potentials in the secretory neuron soma of the X-organ of the crayfish, 216

J

JOHNSON, DANIEL LEON, and GAMOW, R. IGOR. The avoidance response in *Phycomyces*, 41

JOHNSON, MARGARET. See PAGE, MOBLEY, JOHNSON, and UPSHAW, 188

K

KLOCKE, R. A. See CRANDALL, KLOCKE, and FORSTER, 664

KOIKE, H., BROWN, H. MACK, and HAGIWARA, S. Hyperpolarization of a barnacle photoreceptor membrane following illumination, 723

KOYAMA, NORIYUKI, and KURIHARA, KENZO. Do unique proteins exist in taste buds? 297

KREGENOW, F. M. See RIDDICK, KREGENOW, and ORLOFF, 752

KURIHARA, KENZO. See KOYAMA and KURIHARA, 297

KURIYAMA, H. See ITO and KURIYAMA, 448

L

LEE, KWANG S. See CHA, SHIN, and LEE, 202

M

MEKATA, F. Electrophysiological studies of the smooth muscle cell membrane of the rabbit common carotid artery, 738

MILLER, INGLIS J., JR. Peripheral interactions among single papilla inputs to gustatory nerve fibers, 1

MOBLEY, BERT A. See PAGE, MOBLEY, JOHNSON, and UPSHAW, 188

O

OGDEN, THOMAS E. See STRATTEN and OGDEN, 435

ORLOFF, J. See RIDDICK, KREGENOW, and ORLOFF, 752

P

PAGE, ERNEST, MOBLEY, BERT A., JOHNSON, MARGARET, and UPSHAW, JUDY E. Magnesium in single skeletal muscle cells of *Balanus*, 188

PATLACK, CLIFFORD S., and RAPOPORT, STANLEY I. Theoretical analysis of net tracer flux due to volume circulation in a membrane with pores of different sizes. Relation to solute drag model, 113

R

RAPOPORT, STANLEY I. See PATLACK and RAPOPORT, 113

REUBEN, J. P., BRANDT, P. W., BERMAN, M., and GRUNDFEST, HARRY. Regulation of tension in the skinned crayfish muscle fiber. I. Contraction and relaxation in the absence of Ca (pCa > 9), 385

RIDDICK, D. H., KREGENOW, F. M., and ORLOFF, J. The effect of norepinephrine and dibutyryl cyclic-AMP on cation transport in duck erythrocytes, 752

ROCKOFF, MAXINE L. See FINN and ROCKOFF, 326

ROSE, RICHARD C., and SCHULTZ, STANLEY G. Studies on the electrical potential profile across rabbit ileum. Effects of sugars and amino acids on transmural and transmucosal electrical potential differences, 639

RUIZ-MANRESA, FRANCISCO, and GRUNDFEST, HARRY. Synaptic electrogenesis in eel electroplaques, 71

S

SACHS, JOHN R. Ouabain-insensitive sodium movements in the human red blood cell, 259

SATOW, YOUKO. See IWASAKI and SATOW, 216

SCHAFER, JAMES A. See ANDREOLI, SCHAFER, and TROUTMAN, 479

SCHULTZ, STANLEY G. See ROSE and SCHULTZ, 639

SHA'AFI, R. I., and HAJJAR, J. J. Sodium movement in high sodium feline red cells, 684

SHAPLEY, ROBERT. Effects of lateral inhibition on fluctuations of the impulse rate, 557

—. Fluctuations of the impulse rate in *Limulus* eccentric cells, 539

SHIN, BAK C. See CHA, SHIN, and LEE, 202

SJODIN, R. A. The kinetics of sodium extrusion in striated muscle as functions of the external sodium and potassium ion concentrations, 164

SOKOLOVE, P. G., and COOKE, I. M. Inhibition of impulse activity in a sensory neuron by an electrogenic pump, 125

SOLOMON A. K. See CURRAN and SOLOMON, 495

—. See GARY-BOBO and SOLOMON, 283, 610

SONTAG, CHARLES. Spectral sensitivity studies on the visual system of the praying mantis, *Tenodera sinensis*, 93

STRATTEN, WILFORD P., and OGDEN, THOMAS E. Spectral sensitivity of the barnacle, *Balanus amphitrite*, 435

SULLIVAN, W. J. See WIEDERHOLT, SULLIVAN, and GIEBISCH, 495

T

TOSTESON, DANIEL C. See ANDREOLI and TOSTESON, 526

—. See GUNN and TOSTESON, 593

TOYAMA, K. See HAGIWARA, TOYAMA, and HAYASHI, 408

TROUTMAN, SUSAN L. See ANDREOLI, SCHAFER, and TROUTMAN, 479

—. See ANDREOLI and TROUTMAN, 464

U

UPSHAW, JUDY E. See PAGE, MOBLEY, JOHNSON, and UPSHAW, 188

V

VARELA, FRANCISCO G. See WIITANEN and VARELA, 303

VILLEGAS, GLORIA M. See VILLEGAS, VILLEGAS, DIPOLO, and VILLEGAS, 623

VILLEGAS, JORGE. See VILLEGAS, VILLEGAS, DIPOLO, and VILLEGAS, 623

VILLEGAS, RAIMUNDO, VILLEGAS, GLORIA M., DIPOLO, REINALDO, and VILLEGAS, JORGE. Nonelectrolyte permeability, sodium influx, electrical potentials, and axolemma ultrastructure in squid axons of various diameters, 623

W

WEBER, A. Regulatory mechanisms of the calcium transport system of fragmented rabbit sarcoplasmic reticulum. I. The effect of accumulated calcium on transport and adenosine triphosphate hydrolysis, 50

—. II. Inhibition of outflux in calcium-free media, 64

WEIDMANN, SILVIO. See GIEBISCH and WEIDMANN, 290

WIEDERHOLT, M., SULLIVAN, W. J., and GIEBISCH, GERHARD. Potassium and sodium transport across single distal tubules of *Amphiuma*, 495

WIITANEN, WAYNE, and VARELA, FRANCISCO G. Analysis of the organization and overlap of the visual fields in the compound eye of the honeybee (*Apis mellifera*), 303

WILSON, DAVID L. Molecular weight distribution of proteins synthesized in single, identified neurons of *Aplysia*, 26

WINEGRAD, S. See CONNOLLY, GOUGH, and WINEGRAD, 697

Y

YAZULLA, S. See GRANDA and YAZULLA, 363

INDEX TO SUBJECTS

A

Abstracts of papers presented at the twenty-fourth Annual Meeting of the Society of General Physiologists, 239
Acids, amino, and sugars, effects on transmural and transmucosal electrical potential differences across rabbit ileum, 639
Adenosine monophosphate, dibutyryl cyclic, and norepinephrine, effect on cation transport in duck erythrocytes, 752
Adenosinetriphosphatase activity, sodium plus potassium-activated, stimulation, mechanism of calorigenic action of thyroid hormone, 710
—, magnesium, calcium-activated, and calcium, active uptake in red cell membrane fragments, 202
Adenosine triphosphate hydrolysis, effect of accumulated calcium on, regulatory mechanisms of calcium transport system of fragmented rabbit sarcoplasmic reticulum, 50
Amino acids and sugars, effects on transmural and transmucosal electrical potential differences across rabbit ileum, 639
Amphiuma tubules, single distal, potassium and sodium transport across, 495
Apis mellifera, compound eye, analysis of organization and overlap of visual fields in, 303
Aplysia, neurons, single, identified, molecular weight distribution of proteins synthesized in, 26
Artery, carotid, common, rabbit, electrophysiological studies of smooth muscle cell membrane of, 738
Axolemma ultrastructure, nonelectrolyte permeability, sodium influx, and electrical potentials in squid axons of various diameters, 623
Axons, squid, of various diameters, nonelectrolyte permeability, sodium influx, electrical potentials, and axolemma ultrastructure in, 623

B

Balanus amphitrite, spectral sensitivity of, 435
—, magnesium in single skeletal muscle cells, 188
Barnacle, *Balanus amphitrite*, spectral sensitivity of, 435
— muscle fiber, resting membrane, mechanisms of anion and cation permeations in, 408
— photoreceptor membrane, hyperpolarization following illumination, 723
Bladder, toad, sodium transport kinetics in, determination of transport pool, 326
—, toad, sodium transport kinetics in, dual effects of vasopressin, 349
Blood cell, red. *See* Erythrocyte.
—, cells, red. *See* Erythrocytes.

C

Caffeine and excitation-contraction coupling in guinea pig taenia coli, 448
Calcium and calcium-activated magnesium adenosinetriphosphatase, active uptake in red cell membrane fragments, 202
—, ($pCa > 9$), contraction and relaxation in absence of, regulation of tension in skinned crayfish muscle fiber, 385
— distribution within sarcoplasmic reticulum, influence on twitch, characteristics of isometric twitch of skeletal muscle immediately after tetanus, 697
— and sodium-dependent spike potentials in secretory neuron soma of crayfish X-organ, 216
— transport system of fragmented rabbit sarcoplasmic reticulum, regulatory mechanisms, effect of accumulated calcium on transport and adenosine triphosphate hydrolysis, 50
— transport system of fragmented rabbit sarcoplasmic reticulum, regulatory mechanisms, inhibition of outflux in calcium-free media, 64
Calorigenic action of thyroid hormone, mechanism, stimulation of sodium plus potassium-activated adenosinetriphosphatase activity, 710
Carotid artery, common, rabbit, electrophysiological studies of smooth muscle cell membrane of, 738
Cat red cells, high sodium, sodium movement in, 684
Cell, blood, red. *See* Erythrocyte.

Cell membrane, smooth muscle, rabbit common carotid artery, electrophysiological studies, 738
Cells, blood, red. *See* Erythrocytes.
—, eccentric, *Limulus*, fluctuations of impulse rate in, 539
—, skeletal muscle, single, *Balanus*, magnesium in, 188
Chemical and geometrical constraints on water flux across artificial membranes, effect of, 610
Circulation, volume, in membrane with pores of different sizes, theoretical analysis of net tracer flux due to, relation to solute drag model, 113
Columba livia, spectral sensitivity of single units in nucleus rotundus, 363
Contraction and relaxation in absence of calcium, (pCa > 9), regulation of tension in skinned crayfish muscle fiber, 385
Contraction-excitation coupling and caffeine in guinea pig taenia coli, 448
Crayfish muscle fiber, skinned, regulation of tension in, contraction and relaxation in absence of calcium (pCa > 9), 385
—, X-organ, sodium- and calcium-dependent spike potentials in secretory neuron soma of, 216
m-Cresol, 2,4,6-trinitro-, effect on cation and anion transport in sheep red blood cells, 593

D

n-Decane, effect of valinomycin on electrical properties of solutions of red cell lipids in, 526
Duck erythrocytes, effect of norepinephrine and dibutyryl cyclic adenosine monophosphate on cation transport in, 752

E

Eel electroplaques, synaptic electrogenesis in, 71
Electrogenesis, synaptic, in eel electroplaques, 71
Electrogenic pump, inhibition of impulse activity in sensory neuron by, 125
Electrolyte, non-, permeability, sodium influx, electrical potentials, and axolemma ultrastructure in squid axons of various diameters, 623
Electrophysiological studies of smooth muscle cell membrane of rabbit common carotid artery, 738
Electroplaques, eel, synaptic electrogenesis in, 71
Erythrocyte, human, ouabain-insensitive sodium movements in, 259
—, lipids, solutions in *n*-decane, effect of valinomycin on electrical properties, 526
— membrane fragments, active uptake of calcium and calcium-activated magnesium adenosinetriphosphatase in, 202
— membrane, human, hydroxyl ion movements across, measurement of rapid pH changes in red cell suspensions, 664
Erythrocytes, duck, effect of norepinephrine and dibutyryl cyclic adenosine monophosphate on cation transport in, 752
—, feline, high sodium, sodium movement in, 684
—, human, kinetics of ouabain inhibition and partition of rubidium influx in, 576
—, sheep, effect of 2,4,6-trinitro-*m*-cresol on cation and anion transport, 593
Excitation-contraction coupling and caffeine in guinea pig taenia coli, 448
Eye, compound, of honeybee, *Apis mellifera*, analysis of organization and overlap of visual fields in, 303

F

Fiber, muscle, barnacle, resting membrane, mechanisms of anion and cation permeations in, 408
—, muscle, crayfish, skinned, regulation of tension in, contraction and relaxation in absence of calcium (pCa > 9), 385
Fibers, muscle, heart, ventricular, mammalian, membrane currents in using voltage-clamp technique, 290
—, nerve, gustatory, peripheral interactions among single papilla inputs to, 1
Flows, solute and solvent, coupling in porous lipid bilayer membranes, 479

G

Geometrical and chemical constraints on water flux across artificial membranes, effect of, 610
Guinea pig taenia coli, caffeine and excitation-contraction coupling in, 448
Gustatory nerve fibers, peripheral interactions among single papilla inputs to, 1

H

Heart muscle fibers, ventricular, mammalian, membrane currents in using voltage-clamp technique, 290
Hemoglobin charge dependence on hemoglobin concentration in vitro, 283
Honeybee, *Apis mellifera*, compound eye, analysis of organization and overlap of visual fields in, 303
Hormone, thyroid, calorigenic action, mechanism, stimulation of sodium plus potassium-activated adenosinetriphosphatase activity, 710
Hydrogen ion concentration, measurement of rapid changes in red cell suspensions, hydroxyl ion movements across human erythrocyte membrane, 664
Hydrolysis, adenosine triphosphate, effect of accumulated calcium on, regulatory mechanisms of calcium transport system of fragmented rabbit sarcoplasmic reticulum, 50
Hydroxyl ion movements across human erythrocyte membrane, measurement of rapid pH changes in red cell suspensions, 664
Hyperpolarization of barnacle photoreceptor membrane following illumination, 723

I

Ileum, rabbit, electrical potential profile across, effects of sugars and amino acids on transmural and transmucosal electrical potential differences, 639
Illumination, hyperpolarization of barnacle photoreceptor membrane following, 723
Impulse activity in sensory neuron, inhibition by electrogenic pump, 125
— rate, fluctuations, effects of lateral inhibition on, 557
— rate in *Limulus* eccentric cells, fluctuations, 539
Inhibition, lateral, effects on fluctuations of impulse rate 557
— of impulse activity in sensory neuron by electrogenic pump, 125
— of outflux in calcium-free media, regulatory mechanisms of calcium transport system of fragmented rabbit sarcoplasmic reticulum, 64
—, ouabain, kinetics, and partition of rubidium influx in human red blood cells, 576

L

Limulus eccentric cells, fluctuations of impulse rate in, 539
Lipid bilayer membranes, porous, coupling of solute and solvent flows in, 479
— bilayer membranes, tight and porous, analysis of unstirred layers in series with, 464
Lipids, red cell, solutions in *n*-decane, effect of valinomycin on electrical properties, 526

M

Magnesium adenosinetriphosphatase, calcium-activated, and calcium, active uptake in red cell membrane fragments, 202
— in *Balanus* single skeletal muscle cells, 188
Mammalian ventricular heart muscle fibers, membrane currents in using voltage-clamp technique, 290
Man, erythrocyte membrane, hydroxyl ion movements across, measurement of rapid pH changes in red cell suspensions, 664
—, red blood cell, ouabain-insensitive sodium movements in, 259
—, red blood cells, kinetics of ouabain inhibition and partition of rubidium influx in, 576
Mantis, praying, *Tenodera sinensis*, spectral sensitivity studied on visual system of, 93
Membrane, cell, smooth muscle, rabbit common carotid artery, electrophysiological studies, 738
— currents in mammalian ventricular heart muscle fibers using voltage-clamp technique, 290
—, erythrocyte, human, hydroxyl ion movements across, measurement of rapid pH changes in red cell suspensions, 664
— fragments, erythrocyte, active uptake of calcium and calcium-activated magnesium adenosinetriphosphatase in, 202
—, photoreceptor, barnacle, hyperpolarization following illumination, 723
—, resting, barnacle muscle fiber, mechanisms of anion and cation permeations in, 408
— with pores of different sizes, theoretical analysis of net tracer flux due to volume circulation in, relation to solute drag model, 113

Membranes, artificial, effect of geometrical and chemical constraints on water flux across, 610
—, lipid bilayer, porous, coupling of solute and solvent flows in, 479
—, lipid bilayer, tight and porous, analysis of unstirred layers in series with, 464
Model, solute drag, theoretical analysis of net tracer flux due to volume circulation in membrane with pores of different sizes, relation to, 113
Molecular weight distribution of proteins synthesized in single, identified *Aplysia* neurons, 26
Muscle cell membrane, smooth, rabbit common carotid artery, electrophysiological studies, 738
— cells, skeletal, single, *Balanus*, magnesium in, 188
— fiber, barnacle, resting membrane, mechanisms of anion and cation permeations in, 408
— fiber, crayfish, skinned, regulation of tension in, contraction and relaxation in absence of calcium (pCa > 9), 385
— fibers, heart, ventricular, mammalian, membrane currents in using voltage-clamp technique, 290
—, skeletal, isometric twitch, characteristics immediately after tetanus, influence of calcium distribution within sarcoplasmic reticulum on, 697
—, striated, sodium extrusion, kinetics as functions of external sodium and potassium ion concentrations, 164

N

Nerve fibers, gustatory, peripheral interactions among single papilla inputs to, 1
Neuron, sensory, impulse activity, inhibition by electrogenic pump, 125
— soma, secretory, of crayfish X-organ, sodium- and calcium-dependent spike potentials in, 216
Neurons, single, identified, of *Aplysia*, molecular weight distribution of proteins synthesized in, 26
Norepinephrine and dibutyryl cyclic adenosine monophosphate, effect on cation transport in duck erythrocytes, 752
Nucleus rotundus, pigeon, *Columba livia*, spectral sensitivity of single units in, 363

O

Ouabain inhibition, kinetics, and partition of rubidium influx in human red blood cells, 576
Ouabain-insensitive sodium movements in human red blood cell, 259

P

Papilla inputs, single, to gustatory nerve fibers, peripheral interactions among, 1
Permeability, nonelectrolyte, sodium influx, electrical potentials, and axolemma ultrastructure in squid axons of various diameters, 623
Permeations, anion and cation, in barnacle muscle fiber resting membrane, mechanisms, 408
Photoreceptor membrane, barnacle, hyperpolarization following illumination, 723
Phycomyces, avoidance response in, 41
Physiological, electro-, studies of smooth muscle cell membrane of rabbit common carotid artery, 738
Pigeon, *Columba livia*, spectral sensitivity of single units in nucleus rotundus, 363
Pores, different sizes, theoretical analysis of net tracer flux due to volume circulation in membrane with, relation to solute drag model, 113
Potassium plus sodium-activated adenosinetriphosphatase activity, stimulation, mechanism of calorigenic action of thyroid hormone, 710
— and sodium ion concentrations, external, kinetics of sodium extrusion in striated muscle as functions of, 164
— and sodium transport across single distal *Amphiuma* tubules, 495
Praying mantis, *Tenodera sinensis*, spectral sensitivity studied on visual system of, 93
Proteins synthesized in single, identified *Aplysia* neurons, molecular weight distribution, 26
—, unique, do they exist in taste buds, 297
Pump, electrogenic, inhibition of impulse activity in sensory neuron by, 125

R

Response, avoidance, in *Phycomyces*, 41
Reticulum, sarcoplasmic, calcium distribution within, influence on twitch, characteristics of isometric twitch of skeletal muscle immediately after tetanus, 697

Reticulum, sarcoplasmic, rabbit, fragmented, regulatory mechanisms of calcium transport system, effect of accumulated calcium on transport and adenosine triphosphate hydrolysis, 50
—, sarcoplasmic, rabbit, fragmented, regulatory mechanisms of calcium transport system, inhibition of outflux in calcium-free media, 64
Rubidium influx, partition in human red blood cells, and kinetics of ouabain inhibition, 576

S

Sarcoplasmic reticulum, calcium distribution within, influence on twitch, characteristics of isometric twitch of skeletal muscle immediately after tetanus, 697
— reticulum, rabbit, fragmented, regulatory mechanisms of calcium transport system, effect of accumulated calcium on transport and adenosine triphosphate hydrolysis, 50
— reticulum, rabbit, fragmented, regulatory mechanisms of calcium transport system, inhibition of outflux in calcium-free media, 64
Secretory neuron soma of crayfish X-organ, sodium- and calcium-dependent spike potentials in, 216
Sensitivity, spectral, of barnacle, *Balanus amphitrite*, 435
—, spectral, of single units in nucleus rotundus of pigeon, *Columba livia*, 363
—, spectral, studied on visual system of praying mantis, *Tenodera sinensis*, 93
Sensory neuron, impulse activity, inhibition by electrogenic pump, 125
Sheep red blood cells, effect of 2,4,6-trinitro-*m*-cresol on cation and anion transport in, 593
Skeletal muscle cells, single, *Balanus*, magnesium in, 188
— muscle, isometric twitch, characteristics immediately after tetanus, influence of calcium distribution within sarcoplasmic reticulum on, 697
Sodium- and calcium-dependent spike potentials in secretory neuron soma of crayfish X-organ, 216
— extrusion in striated muscle, kinetics as functions of external sodium and potassium ion concentrations, 164
— influx, nonelectrolyte permeability, electrical potentials, and axolemma ultrastructure in squid axons of various diameters, 623
Sodium movement in high sodium feline red cells, 684
— movements, ouabain-insensitive, in human red blood cell, 259
— plus potassium-activated adenosinetriphosphatase activity, stimulation, mechanism of calorigenic action of thyroid hormone, 710
— and potassium transport across single distal *Amphiuma* tubules, 495
— transport kinetics in toad bladder, determination of transport pool, 326
— transport kinetics in toad bladder, dual effects of vasopressin, 349
Soma, secretory neuron, of crayfish X-organ, sodium- and calcium-dependent spike potentials in, 216
Spectral sensitivity of barnacle, *Balanus amphitrite*, 435
— sensitivity of single units in nucleus rotundus of pigeon, *Columba livia*, 363
— sensitivity studied on visual system of praying mantis, *Tenodera sinensis*, 93
Squid axons of various diameters, nonelectrolyte permeability, sodium influx, electrical potentials, and axolemma ultrastructure in, 623
Striated muscle, sodium extrusion, kinetics as functions of external sodium and potassium ion concentrations, 164
Sugars and amino acids, effects on transmural and transmucosal electrical potential differences across rabbit ileum, 639
Synaptic electrogenesis in eel electroplaques, 71

T

Taenia coli, guinea pig, caffeine and excitation-contraction coupling in, 448
Taste buds, do unique proteins exist in, 297
Tenodera sinensis, spectral sensitivity studied on visual system of, 93
Tetanus, characteristics of isometric twitch of skeletal muscle immediately after, influence of calcium distribution within sarcoplasmic reticulum on twitch, 697
Thyroid hormone, calorigenic action, mechanism, stimulation of sodium plus potassium-activated adenosinetriphosphatase activity, 710

Toad bladder, sodium transport kinetics in, determination of transport pool, 326
— bladder, sodium transport kinetics in, dual effects of vasopressin, 349
Tracer, behavior, analysis [Appendix], 495
— flux, net, due to volume circulation in membrane with pores of different sizes, theoretical analysis, relation to solute drag model, 113
Triphosphatase, adenosine-, activity, sodium plus potassium-activated, stimulation, mechanism of calorigenic action of thyroid hormone, 710
—, adenosine-, magnesium, calcium-activated, and calcium, active uptake in red cell membrane fragments, 202
Triphosphate, adenosine, hydrolysis, effect of accumulated calcium on, regulatory mechanisms of calcium transport system of fragmented rabbit sarcoplasmic reticulum, 50
Tubules, *Amphiuma*, single distal, potassium and sodium transport across, 495
Twitch, isometric, of skeletal muscle, characteristics immediately after tetanus, influence of calcium distribution within sarcoplasmic reticulum on, 697

V

Valinomycin, effect on electrical properties of solutions of red cell lipids in *n*-decane, 526
Vasopressin, dual effects on sodium transport kinetics in toad bladder, 349
Ventricular heart muscle fibers, mammalian, membrane currents in using voltage-clamp technique, 290
Visual fields in compound eye of honeybee, *Apis mellifera*, analysis of organization and overlap of, 303
— system of praying mantis, *Tenodera sinensis*, spectral sensitivity studied on, 93
Voltage-clamp technique, membrane currents in mammalian ventricular heart muscle fibers using, 290

W

Water flux across artificial membranes, effect of geometrical and chemical constraints on, 610
Weight, molecular, distribution of proteins synthesized in single, identified *Aplysia* neurons, 26

X

X-organ, crayfish, sodium- and calcium-dependent spike potentials in secretory neuron soma of, 216

THE JOURNAL OF GENERAL PHYSIOLOGY

FOUNDED BY JACQUES LOEB

Honorary Editors

L. R. BLINKS
DETLEV W. BRONK
WALLACE O. FENN
ALFRED E. MIRSKY
JOHN H. NORTHROP

Editor

PAUL F. CRANEFIELD

Editorial Board

BERNARD C. ABBOTT
VINCENT ALLFREY
FRANCIS D. CARLSON
C. M. CONNELLY
ROY P. FORSTER
PAUL HOROWICZ
T. HOSHIKO
WILLIAM P. HURLBUT
DAVID MAUZERALL
L. J. MULLINS
FLOYD RATLIFF
ASER ROTHSTEIN
STANLEY G. SCHULTZ
A. K. SOLOMON
D. C. TOSTESON
ANNEMARIE WEBER
VICTOR J. WILSON

VOLUME 57 · THE JOURNAL OF GENERAL PHYSIOLOGY IS THE OFFICIAL ORGAN OF THE SOCIETY OF GENERAL PHYSIOLOGISTS AND IS EDITED IN COOPERATION WITH THE SOCIETY

GERTRUDE C. SMITH *Copyeditor and Production*

THE ROCKEFELLER UNIVERSITY PRESS · NEW YORK 1971

COPYRIGHT © 1971 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS OF VOLUME 57

NUMBER 1, JANUARY, 1971

1 Inglis J. Miller, Jr. Peripheral interactions among single papilla inputs to gustatory nerve fibers

26 David L. Wilson. Molecular weight distribution of proteins synthesized in single, identified neurons of *Aplysia*

41 Daniel Leon Johnson and R. Igor Gamow. The avoidance response in *Phycomyces*

50 A. Weber. Regulatory mechanisms of the calcium transport system of fragmented rabbit sarcoplasmic reticulum. I. The effect of accumulated calcium on transport and adenosine triphosphate hydrolysis

64 A. Weber. Regulatory mechanisms of the calcium transport system of fragmented rabbit sarcoplasmic reticulum. II. Inhibition of outflux in calcium-free media

71 Francisco Ruiz-Manresa and Harry Grundfest. Synaptic electrogenesis in eel electroplaques

93 Charles Sontag. Spectral sensitivity studies on the visual system of the praying mantis, *Tenodera sinensis*

NUMBER 2, FEBRUARY, 1971

113 Clifford S. Patlak and Stanley I. Rapoport. Theoretical analysis of net tracer flux due to volume circulation in a membrane with pores of different sizes. Relation to solute drag model

125 P. G. Sokolove and I. M. Cooke. Inhibition of impulse activity in a sensory neuron by an electrogenic pump

164 R. A. Sjodin. The kinetics of sodium extrusion in striated muscle as functions of the external sodium and potassium ion concentrations

188 Ernest Page, Bert A. Mobley, Margaret Johnson, and Judy E. Upshaw. Magnesium in single skeletal muscle cells of *Balanus*

202 Young N. Cha, Bak C. Shin, and Kwang S. Lee. Active uptake of Ca^{++} and Ca^{++}-activated Mg^{++} ATPase in red cell membrane fragments

216 Shizuko Iwasaki and Youko Satow. Sodium- and calcium-dependent spike potentials in the secretory neuron soma of the X-organ of the crayfish

239 Abstracts of Papers Presented at the Twenty-Fourth Annual Meeting of the Society of General Physiologists

NUMBER 3, MARCH, 1971

259 John R. Sachs. Ouabain-insensitive sodium movements in the human red blood cell

283 C. M. Gary-Bobo and A. K. Solomon. Hemoglobin charge dependence on hemoglobin concentration in vitro

290 GERHARD GIEBISCH and SILVIO WEIDMANN. Membrane currents in mammalian ventricular heart muscle fibers using a voltage-clamp technique

297 NORIYUKI KOYAMA and KENZO KURIHARA. Do unique proteins exist in taste buds?

303 WAYNE WIITANEN and FRANCISCO G. VARELA. Analysis of the organization and overlap of the visual fields in the compound eye of the honeybee (*Apis mellifera*)

326 ARTHUR L. FINN and MAXINE L. ROCKOFF. The kinetics of sodium transport in the toad bladder. I. Determination of the transport pool

349 ARTHUR L. FINN. The kinetics of sodium transport in the toad bladder. II. Dual effects of vasopressin

363 A. M. GRANDA and S. YAZULLA. The spectral sensitivity of single units in the nucleus rotundus of pigeon, *Columba livia*

NUMBER 4, APRIL, 1971

385 J. P. REUBEN, P. W. BRANDT, M. BERMAN, and HARRY GRUNDFEST. Regulation of tension in the skinned crayfish muscle fiber. I. Contraction and relaxation in the absence of Ca (pCa > 9)

408 S. HAGIWARA, K. TOYAMA, and H. HAYASHI. Mechanisms of anion and cation permeations in the resting membrane of a barnacle muscle fiber

435 WILFORD P. STRATTEN and THOMAS E. OGDEN. Spectral sensitivity of the barnacle, *Balanus amphitrite*

448 Y. ITO and H. KURIYAMA. Caffeine and excitation-contraction coupling in the guinea pig taenia coli

464 THOMAS E. ANDREOLI and SUSAN L. TROUTMAN. An analysis of unstirred layers in series with "tight" and "porous" lipid bilayer membranes

479 THOMAS E. ANDREOLI, JAMES A. SCHAFER, and SUSAN L. TROUTMAN. Coupling of solute and solvent flows in porous lipid bilayer membranes

NUMBER 5, MAY, 1971

495 M. WIEDERHOLT, W. J. SULLIVAN, and GERHARD GIEBISCH. Potassium and sodium transport across single distal tubules of *Amphiuma*. With an Appendix by Peter F. Curran and A. K. Solomon. Analysis of tracer behavior

526 THOMAS E. ANDREOLI and DANIEL C. TOSTESON. The effect of valinomycin on the electrical properties of solutions of red cell lipids in *n*-decane

539 ROBERT SHAPLEY. Fluctuations of the impulse rate in *Limulus* eccentric cells

557 ROBERT SHAPLEY. Effects of lateral inhibition on fluctuations of the impulse rate

576 L. A. BEAUGÉ and NORMA ADRAGNA. The kinetics of ouabain inhibition and the partition of rubidium influx in human red blood cells

593 ROBERT B. GUNN and DANIEL C. TOSTESON. The effect of 2,4,6-trinitro-*m*-cresol on cation and anion transport in sheep red blood cells

610 C. M. GARY-BOBO and A. K. SOLOMON. Effect of geometrical and chemical constraints on water flux across artificial membranes

623 RAIMUNDO VILLEGAS, GLORIA M. VILLEGAS, REINALDO DIPOLO, and JORGE

VILLEGAS. Nonelectrolyte permeability, sodium influx, electrical potentials, and axolemma ultrastructure in squid axons of various diameters

NUMBER 6, JUNE, 1971

639 RICHARD C. ROSE and STANLEY G. SCHULTZ. Studies on the electrical potential profile across rabbit ileum. Effects of sugars and amino acids on transmural and transmucosal electrical potential differences

664 E. D. CRANDALL, R. A. KLOCKE, and R. E. FORSTER. Hydroxyl ion movements across the human erythrocyte membrane. Measurement of rapid pH changes in red cell suspensions

684 R. I. SHA'AFI and J. J. HAJJAR. Sodium movement in high sodium feline red cells

697 R. CONNOLLY, W. GOUGH, and S. WINEGRAD. Characteristics of the isometric twitch of skeletal muscle immediately after a tetanus. A study of the influence of the distribution of calcium within the sarcoplasmic reticulum on the twitch

710 FARAMARZ ISMAIL-BEIGI and ISIDORE S. EDELMAN. The mechanism of the calorigenic action of thyroid hormone. Stimulation of $Na^+ + K^+$-activated adenosinetriphosphatase activity

723 H. KOIKE, H. MACK BROWN, and S. HAGIWARA. Hyperpolarization of a barnacle photoreceptor membrane following illumination

738 F. MEKATA. Electrophysiological studies of the smooth muscle cell membrane of the rabbit common carotid artery

752 D. H. RIDDICK, F. M. KREGENOW, and J. ORLOFF. The effect of norepinephrine and dibutyryl cyclic-AMP on cation transport in duck erythrocytes

767 INDEX TO VOLUME 57